

## Product Highlights

### Extend Your High-speed Wireless AC Network

Extend your home wireless coverage and enjoy wireless connection speeds of up to 1300 Mbps with the latest Wireless AC technology

### Portable and Easy to Use

Simply plug it into a power outlet anywhere in your home to instantly extend a wireless network, without worrying about compatibility with older devices

### Easy to Set Up

Use the D-Link Wi-Fi mobile app on your phone or push the WPS button to install the device in minutes without needing a PC



## DAP-1620

# AC1300 Wi-Fi Range Extender

## Features

### Connectivity

- Wireless AC gives you high-speed wireless connectivity for your devices
- Wireless 802.11n/g/b/a backward compatibility
- Wireless speeds of up to 1300 Mbps<sup>1</sup>
- Dual-band connectivity for greater flexibility and reduced interference
- 10/100/1000 Gigabit Ethernet Port

### Security

- WPA2/WPA wireless encryption to keep your wireless connection secure
- Wi-Fi Protected Setup (WPS) for secure setup with the simple press of a button

### Easy to Use

- One-piece wall plug design is compact, portable, and does not require additional power cables
- Built-in setup wizard and the D-Link Wi-Fi mobile app guides you through installation

The DAP-1620 AC1300 Wi-Fi Range Extender is a portable plug-in repeater that lets you extend an existing wireless network. You can place it anywhere in your home to increase the range of your wireless network. Tiny yet powerful, it supports Wireless AC speeds of up to 1300 Mbps, yet fits in the palm of your hand.

## Extend Your Wireless Network

Increase the coverage of your home Wireless AC network with the sleek and easy-to-use DAP-1620 AC1300 Wi-Fi Range Extender. Dual-band technology helps reduce interference from nearby wireless transmitters in the home, and also provides backward compatibility with older wireless devices in your network, allowing you to enjoy a blazing-fast, reliable wireless connection. Alternatively, use the built-in Gigabit Ethernet port and your home's existing wired Ethernet cabling to extend wireless coverage without worrying about signal strength.


## Easy to Set Up, Easy to Use

Setting up the AC1300 Wi-Fi Range Extender is simple. You can use the supported D-Link Wi-Fi app on your compatible iOS or Android mobile device to set up the DAP-1620 easily without needing a computer. Alternatively, you can use one-touch configuration by pushing the WPS push-button on the DAP-1620 and on the router or AP you want to extend, and the DAP-1620 will automatically configure itself for you. It even includes a built-in setup wizard that lets you configure it wirelessly with a PC or mobile device.


## Compact, Convenient Design

The DAP-1620 is a compact device that is ideal for use at home or a small office, as it does not take up much space and is ready to use by simply plugging it in. The bright Signal Indicator LED makes finding a suitable location a cinch. Its diminutive wall-plug design easily saves you the hassle of dealing with a power cord. Its sleek, unobtrusive appearance blends easily into the decor of your home or office.

**Extend Your Wireless Network using Wi-Fi**



**Extend Your Wireless Network using Ethernet**



**Technical Specifications**

**General**

Device Interfaces	<ul style="list-style-type: none"> <li>• 802.11ac/n/g/b/a Wireless LAN</li> <li>• 10/100/1000 Gigabit Ethernet Port</li> </ul>	<ul style="list-style-type: none"> <li>• Reset Button</li> <li>• WPS Button</li> </ul>
LEDs	<ul style="list-style-type: none"> <li>• Status/WPS</li> </ul>	<ul style="list-style-type: none"> <li>• 3 Segment Wi-Fi Signal Strength Indicator</li> </ul>
Standards	<ul style="list-style-type: none"> <li>• IEEE 802.11ac</li> <li>• IEEE 802.11n</li> <li>• IEEE 802.11g</li> <li>• IEEE 802.11k</li> </ul>	<ul style="list-style-type: none"> <li>• IEEE 802.11b</li> <li>• IEEE 802.11a</li> <li>• IEEE 802.3ab</li> <li>• IEEE 802.11v</li> </ul>
Antennas	<ul style="list-style-type: none"> <li>• Two external antennas</li> </ul>	
Data Signal Rate	<ul style="list-style-type: none"> <li>• 2.4 GHz</li> <li>• Up to 400 Mbps<sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>• 5 GHz</li> <li>• Up to 867 Mbps<sup>1</sup></li> </ul>
Plug Type	<ul style="list-style-type: none"> <li>• Region dependent</li> </ul>	

**Functionality**

Wireless Security	<ul style="list-style-type: none"> <li>• Wi-Fi Protected Access (WPA/WPA2)</li> </ul>	<ul style="list-style-type: none"> <li>• WPS (PBC)</li> </ul>
Advanced Features	<ul style="list-style-type: none"> <li>• Compatible with D-Link Wi-Fi Mesh routers</li> </ul>	
Device Management	<ul style="list-style-type: none"> <li>• Supports D-Link Wi-Fi mobile app for compatible iOS and Android mobile devices</li> </ul>	<ul style="list-style-type: none"> <li>• Web UI</li> <li>• Firmware Over the Air update (FOTA)</li> </ul>

**Physical**

Dimensions	<ul style="list-style-type: none"> <li>• 105.0 x 63.5 x 50.0 mm (4.13 x 2.50 x 1.97 in)</li> </ul>
------------	----------------------------------------------------------------------------------------------------

# DAP-1620 AC1300 Wi-Fi Range Extender

Weight	• 165 grams (5.8 oz)	
Power	• Input: 110 to 240 V AC, 50/60 Hz	
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 65 °C (-4 to 149 °F)
Humidity	• Operating: 10% to 90% non-condensing	• Storage: 5% to 95% non-condensing
Certifications	• FCC • IC • CE <sup>2</sup> • CB	• NCC • UL • BSMI

## Order Information

<i>Part Number</i>	<i>Description</i>
DAP-1620	AC1300 Wi-Fi Range Extender

<sup>1</sup> Maximum wireless signal rate derived from IEEE Standard 802.11ac and 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.

<sup>2</sup> For the EU region, this product is compliant with CE regulations and operates within the following frequency ranges: 2.4 - 2.4835 GHz and 5.150 - 5.250 GHz.

Updated 2019/12/12