# HP Thunderbolt Dock 120W G4 (4J0A2AA)

# The Dock That Does It All



Boost your security, productivity, and connectivity with this Thunderbolt™ 4 dock. It protects your network and devices from the moment you log in, supports multi-OS compatibility[1], and can support up to four 4K displays[2]. Ideal for ITDMs and hybrid workers, this dock also makes home or office device management easy.

## The Dock that Protects your Connected Devices.

Feel safe and secure from the moment you log in. The HP Thunderbolt G4 Dock with HP Sure Start[3] prevents hackers from using the dock to attack the network and the attached notebook. Everything connected to this dock is protected and meets full NIST 800-193

## Expanded Compatibility. Easy Connectivity.

Focus on your work and not your compatibility[1] with a dock that works seamlessly with most notebooks and operating systems. Whether you use Windows, Mac, or Chrome OS—rigorous testing and certifications ensure that one USB-C® cable[4] connects your device and peripherals without issue.

## The Power To Be Productive.

Multitask, create, and collaborate faster with a dock that supports up to four 4K displays through superfast Thunderbolt<sup>TM</sup> 4 technology[2] and has double the ethernet speed for faster downloads[5]. This dock also delivers up to 100W of power—enough to charge most notebooks.

# **Funktionsumfang**

Modern Device Manageability
With Intel® vPro™ Active Management Technology, authorized administrators can remotely access notebooks using wired connections, even if turned off, to make updates

Electronic Asset Management for Your Docks
Empower your IT to manage and track your docks by product name, serial number, and MAC Address from anywhere with the time-saving, easy-to-use Electronic Tag (eTag) asset management tool[6].

 $\label{thm:completed} \textbf{Thoughtful Product Packaging} \\ \textbf{HP is committed to reducing plastic in landfills by using recyclable, fiber-based, and sustainably sourced packaging[7] that meets recycling requirements, so it can stay out of the landfill[8] when customers are finished with it.}$ 

## We Test So You Can Rest

We rest so four call rest. Rest. Rigorous testing[9] helps assure dock compatibility across select HP notebooks and select Apple®, Dell, and Lenovo notebooks with USB-C® power ports[9].

More Ports. More Flexibility. More ports means more capabilities. With a  $TB4^{TM}$ , HDMI, two USB-C®, two DisplayPorts<sup>TM</sup>, four USB-A 3.2 ports and an RJ45 port, you can connect multiple devices like a keyboard and mouse[10].

## **Technische Daten**

Mindestabmessungen (B x T x H)	98 x 98 x 68 mm
Mindestabmessungen (B x T x H)	3.9 x 3.9 x 2.7 in
Gewicht	760 g
Gewicht	1.68 lb
Anschlüsse	Top components: LED and power button to power or wake host system Front components: 1 x USB-C data/power out, (USB 3.2 Gen 2 10 Gbps Data only) Side components: Right side: 1 x Kensington Standard Lock Slot; 2 x USB 3.2 Gen 1 ports - 1 on each side (charging) (5 Gbps) Back components: 2 x USB 3.2 Gen 1 (charging ports when docked) (5Gbps); 1 x HDMI 2.0 port; 2 x DisplayPort 1.4 ports; 1 AC adapter port; 1 x Ethernet port: 2 internal NIC cards to support 1Gb and 2.5Gb Ethernet; 1 x USB-C DP alt mode port; 1 x Thunderbolt** 4 port (The dock power button is not functional when connected to non-supported HP notebooks or non-HP notebooks.)
Paketabmessungen (B x T x H)	275 x 143 x 148.5 mm
Stromversorgung	Input 100 to 240V 1.7A 50 to 60Hz. Output is 19.5V at 6.15A
Sicherheitsmanagement	Standard Kensington lock slot
Mindestsystemanforderungen	Wired vPRO Management
UPC-Nummer	196068757403
Herstellergarantie	One-year limited warranty.
Lieferumfang	Dock, power supply, power cord, warranty

# Als Beste empfohlene Displays, Zubehörteile und Services

# Personal Systems Commercial Care Pack Services HP 4 Jahre Reaktion am nächsten Arbeitstag mit erweitertem Austauschservice Docking Station Hardware-Support UJ392E HP 5 Jahre Reaktion am nächsten Arbeitstag mit erweitertem Austauschservice Docking-Station Hardware-Support UJ393E

## Fußnoten für Text

- [1] Backward compatible with USB-C® alt mode, ports will work at USB-C® alt mode speeds which are dependent on host specifications.
- $[2] \ \text{For USB-C} \\ @ \ \text{alt mode functionality, host PC must support Thunderbolt} \\ ^{\intercal M} \ 3 \ \text{or Thunderbolt} \\ ^{\intercal M} \ 4.$
- [3] HP Sure Start on HP Thunderbolt G4 dock supports firmware integrity verification and recovery it does not include real-time and runtime protections or Microsoft SCCM integration typically found on HP Sure Start in HP notebooks.
- [4] For USB-C® alt mode functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® port. Charging and port replication is supported on notebooks that have implemented USB-C® Alt Mode industry specifications. Power button to turn on or wake the system, Wake-on LAN from warm and cold dock, Wake-on LAN from S4/S5, and MAC Address Pass-Through S0, S3, S4, S5 warm and cold dock features only function on HP or HP supported notebooks. HP does not provide eithernet and duit of views on Mac PCs.

[5] Requires infrastructure to support 2.5Gb ethernet speeds.

### Fußnoten für technische Daten

Keine technischen Daten, Fußnoten

© Copyright 2022 HP Development Company, L.P. Änderungen vorbehalten. Neben der gesetzlichen Gewährleistung gilt für HP Produkte und Dienstleistungen ausschließlich die Herstellergarantie, die in den Garantieerklärungen für die jeweiligen Produkte und Dienstleistungen explizit genannt wird. Aus den Informationen in diesem Dokument ergeben sich keinerlei zusätzliche Gewährleistungsansprüche. HP haftet nicht für technische bzw. redaktionelle Fehler oder fehlende Informationen

DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Thunderbolt logo are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Microsoft, Encarta, MSN, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Linux® is the registered trademark of Linux Torvalds in the U.S. and other countries. Intel® vPro™ is a trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Apple and the Apple logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

